

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	662	455/13.1.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:48
S2	13	S1 and encapsulat\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:50
S3	1065	455/11.1.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:53
S4	33	S3 and encapsulat\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:53
S5	0	("2008/0132164").URPN.	USPAT	AND	ON	2008/12/02 15:53
S6	455	(different or multiple) near2 (system or network) with wired	USPAT	AND	ON	2008/12/02 16:10
S7	51	(different or multiple) near2 (system or network) with (wired near2 connect\$4)	USPAT	AND	ON	2008/12/02 16:11
S8	0	"10586146"	USPAT	AND	ON	2008/12/02 16:28
S9	1	"10586146"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:28
S10	0	(repeater near3 wired) with (gsm or fdma)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:34
S11	0	(repeater near3 wired) same (gsm or fdma)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:34
S12	0	((repeater or relay) near3 wired) same (gsm or fdma)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:34

S13	80	((repeater or relay) with wired same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:35
S14	45	((repeater or relay) with wired with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:35
S15	0	((repeater) same wired) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S16	0	((repeater) and wired) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S17	48	((repeater) and wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S18	13	((repeater) same wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S19	29	((repeater or relay) near2 wired) and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 15:58
S20	11	S19 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 15:59
S21	69	((different or multiple) near2 (system or network or protocol) with wired) and (fdma or gsm)	USPAT	AND	ON	2008/12/09 16:15
S22	60	S21 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:16
S23	1873	455/552.1.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:24

S24	439	S23 and wired	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:24
S25	231	S24 and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:24
S26	132	S25 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:25
S27	4	"2007019373"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:30
S28	4	"2008030476"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:31
S29	8	US-20080064391-\$.D.ID. OR US- 4554261-\$.D.ID. OR US- 20070206580-\$.D.ID. OR US- 20040218572-\$.D.ID. OR US- 20050083940-\$.D.ID. OR US- 3703952-\$.D.ID. OR US- 20060211448-\$.D.ID. OR US- 4555531-\$.D.ID.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 16:35
S30	29	((call near2 forwarding) near3 ((different or multiple) near2 (system or network or protocol)) and (fdma or gsm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:40
S31	150511	"29" and encapsulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:40
S32	1	S30 and encapsulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:41
S33	9	("20010005372" "20020019246" "20030169729" "5517564" "6185288" "6320952" "6765912" "7027433" "7027577").PN. OR ("7426265"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 16:54

S34	9	(different or multiple) near2 (system or network or protocol) with ((wire or line or physical) near2 (connect\$5 or line or wir \$3)) same (call near2 forward \$3)	USPAT	AND	ON	2008/12/09 17:12
S35	17	(different or multiple) near2 (system or network or protocol) with ((wire or line or physical) near2 (connect\$5 or line or wir \$3)) same (call near2 forward \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:13
S36	9	S34 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:15
S37	12	S35 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:15
S38	10	"6615037"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:20
S39	3	"20060111116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:38
S40	27	("20040023655" "20040219935" "20040257273" "5841854" "5862481" "5867788" "6134441" "6138007" "6208870" "6298232" "6308075" "6320943" "6338140" "6356529" "6363431" "6421674" "6453174" "6493551" "6519242" "6615037" "6662017" "6745041" "6771950" "6839022" "6975862" "7031438").PN. OR ("7190959").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:39
S41	1	"20030003930"	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:44
S42	213	palmer.inv. and (system signaling)	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:52
S43	43	palmer.inv. and (system near2 signaling)	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:52

S44	24	US-192004D-\$.D.ID. OR US-1322198-\$.D.ID. OR US-6839022-\$.D.ID. OR US-20040219935-\$.D.ID. OR US-6771950-\$.D.ID. OR US-6745041-\$.D.ID. OR US-20040023655-\$.D.ID. OR US-6662017-\$.D.ID. OR US-6615037-\$.D.ID. OR US-6519242-\$.D.ID. OR US-6493551-\$.D.ID. OR US-6453174-\$.D.ID. OR US-6421674-\$.D.ID. OR US-6363431-\$.D.ID. OR US-6356529-\$.D.ID. OR US-6338140-\$.D.ID. OR US-6308075-\$.D.ID. OR US-6298232-\$.D.ID. OR US-6208870-\$.D.ID. OR US-6138007-\$.D.ID. OR US-6134441-\$.D.ID. OR US-5867788-\$.D.ID. OR US-5862481-\$.D.ID. OR US-5841854-\$.D.ID.	US-PGRUB; USPAT; USOCR	AND	ON	2008/12/09 17:56
S45	695	379/211.02.cds.	USPAT	AND	ON	2008/12/10 09:57
S46	28	S45 and ((different or multiple) near2 (system or network or protocol)) and (fdma or gsm)	USPAT	AND	ON	2008/12/10 09:58
S47	25	S46 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 09:59
S48	9	(call near2 forwarding) same (repeater or relay) same (fdma or gsm)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:07
S49	6	S48 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:07
S50	39	S45 and ((different or multiple) near4 (system or network or protocol)) and (fdma or gsm)	USPAT	AND	ON	2008/12/10 10:11
S51	35	S50 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:11

S52	10	repeater with (wired or wireline or line) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:16
S53	7	S52 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:16
S54	58	("3480961" "3729740" "4154978" "4335385" "4400703" "4509199" "4577327" "4704733" "4754495" "4849963" "5010583" "5095528" "5115514" "5187806" "5200955" "5227742" "5321736" "5377255" "5519691").PN. OR ("5812933"). URP.N.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 10:20
S55	367	((call near2 (rout\$3 or forward \$3)) same encapsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:38
S56	80	((call near2 (rout\$3 or forward \$3)) same encapsulat\$3) and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:39
S57	50	S56 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:39
S58	88	((call near2 (rout\$3 or forward \$3 or flow)) same (sync\$15)) and identifier and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:00
S59	71	S58 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:01
S60	88	((call near2 (rout\$3 or forward \$3 or flow)) same (sync\$15)) and identifier and control and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:13
S61	1	S45 and (identifier same control same sync\$15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:14

S62	169	call with (sync\$15 near3 (pattern or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:18
S63	10	S62 and (((different or multiple) with (system or network or protocol) and (fdma or gsm)))	USPAT	AND	ON	2008/12/10 11:18
S64	9	S63 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:19
S65	0	call near3 ((different or multiple) near2 (protocol) and (fdma or gsm) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:30
S66	0	call with (((different or multiple) near2 (protocol) and (fdma or gsm) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:31
S67	0	call same (((different or multiple) near2 (protocol) and (fdma or gsm) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:31
S68	9	call same (((different or multiple) near2 (protocol) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:31
S69	0	S68 and (((different or multiple) with (system or network or protocol) and (fdma or gsm)))	USPAT	AND	ON	2008/12/10 11:31
S70	9	S68 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:32
S71	186	(call near2 setup) with (((different or multiple) near2 (protocol or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 13:53
S72	142	S71 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 13:53
S73	35	"6240449"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:08

S74	13	("20040024901" "5867494" "6154463" "6195705" "6201805" "6229804" "6240449" "6396840" "6611516" "6674734" "6785223" "6788660" "6853851").FN. OR ("6967941").URFN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 15:17
S75	0	(encapsulat\$3 near2 (call near2 (signal or message or information))) same ((bts or ap or repeater or relay or bss or bs) near2 (id or information or identifier))	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 15:30
S76	59	((encapsulat\$3 or includ\$3 or header) near (call near2 (signal or message or information))) same ((bts or ap or repeater or relay or bss or bs) near2 (id or information or identifier))	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 15:32
S77	45	S76 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:33
S78	16	"5734700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:48
S79	15892	communication near2 ((different or multiple) near2 (protocol or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:53
S80	444	S79 and fdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:54
S81	372	S80 and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:54
S82	218	S81 and sync\$15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:54
S83	152	S82 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:56

S84	152	S83	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:56
S85	696	(different near2 (base\$1station or (base near2 station) or bts or (access adj point)) with (connected or wired))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:00
S86	87	(different near2 (base\$1station or (base near2 station) or bts or (access adj point)) with (wired))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:01
S87	47	S86 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:01
S88	101	455/552.1.ccls. and (call near2 (flow or path))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:12
S89	75	S88 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:12
S90	101	455/552.1.ccls. and (call near2 (flow or path or process))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:13
S91	852	455/553.1.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 10:13
S92	672	S91 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 10:13
S93	296	S92 and (gsm or fdma)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 10:14
S94	210	(dual near2 mode) near2 (site or cell)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:04

S95	67	S94 and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:04
S96	37	S95 and ((@ad<="20040116" or @pd<="20040116" or @rlad<="20040116"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:04
S97	3258	repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S98	885	repeater same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S99	215	repeater with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S100	38	repeater near2 (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S101	26	S100 and ((@ad<="20040116" or @pd<="20040116" or @rlad<="20040116"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S102	177	S99 not S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:47
S103	105	S102 and ((@ad<="20040116" or @pd<="20040116" or @rlad<="20040116"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:47
S104	93	(single\$1mode or (single adj mode)) with ((different or dual) near2 (protocol or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:15
S105	64	S104 and ((@ad<="20040116" or @pd<="20040116" or @rlad<="20040116"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:15

S106	55	relay near2 (gsm or fdma)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:18
S107	29	S106 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:18
S108	10	("20020110112" "20020167943" "5896369" "5946629" "6085100" "6108559" "6292669" "6507589").PN. OR ("6959194"). URPN.	US-PGRUB; USPAT; USOCR	AND	ON	2008/12/22 13:32
S109	223	370/319.cdis.	US-PGRUB; USPAT; USOCR	AND	ON	2008/12/22 13:35
S110	181	S109 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:35
S111	27	(new adj (protocol or system)) with ((exist\$3 or old) near2 (mobile or terminal or pda or ue))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:45
S112	19	S111 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:46
S113	14	(fdma near2 (receiv\$3 or accept \$3 or establish\$3)) same call same (gsm or fdma)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:52
S114	9	S113 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:52
S115	1272	system near3 ((dual or different or two) adj protocol)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:22
S116	156	(system near3 ((dual or different or two) adj protocol)). ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:22

S117	125	S116 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:23
S118	0	call near3 encapsulate near3 repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:31
S119	0	call near6 encapsulate near6 repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:31
S120	0	call near4 encapsulate near4 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:31
S121	0	call near4 encapsulat3 near4 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S122	0	call near4 encapsulat3 near4 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S123	0	encapsulat3 near4 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S124	0	encapsulat3 with (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S125	0	encapsulat3 and (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:33
S126	0	encapsulat3 and (gsm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:36
S127	632	encapsulat3 near4 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:36

S128	0	call near4 encapsulat\$3 near4 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:37
S129	0	call near6 encapsulat\$3 near6 repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:37
S130	378	encapsulat\$3 near2 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:38
S131	19	S130 and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:38
S132	17	S131 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:39
S133	3	"20010031624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:44
S134	1124	(inter\$1system or (inter adj system)) and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:55
S135	235	(inter\$1system or (inter adj system)) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:55
S136	180	S135 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:56
S137	14	(intra\$1system or (intra adj system)) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:00
S138	10	S137 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:09

S139	59	repeater with FDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:41
S140	46	S139 and (@ad<="20040116" or @pd<="20040116" or @riad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:41
S141	1	"11469794"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:59
S142	4	("20050177385" "20050177385" "6175831" "6175831").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 16:18
S143	3	"6931232"	USPAT	AND	ON	2008/12/23 09:57
S144	5	"6931232"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/23 09:57

12/23/2008 11:46:40 AM

C:\Documents and Settings\oobayanju\My Documents\EAST\Workspaces\10586146_Amended.wsp